# Green Bay Absentee Ballot Central Count Manual

### Table of Contents

Roles &	<u>important</u>	<u>Information</u>
---------	------------------	--------------------

Contents of Ward Bin

Types of Ballots:

Ballot Sorting

Ballot Preparation and Open Envelopes

Set up the Ward for processing

Review Envelopes and Remove Rejected Ballots

Record Rejected Ballots

Opening Envelopes

Assign Voter Numbers

Damaged, Federal, or Emailed Ballots

If the Ward Number on the Ballot is Wrong

Einishing a Batch

If you are working on the DS450 (most teams):

If your ward is on a DS200:

Ballot Running and Flattening

Reconstructed Ballots

Tallving Write-Ins

Ballot Tabulation/Scanning

Getting Started in the Morning:

Setting up a Ward to Scan on the DS450:

<u>Scanning</u>:

Reconstruction

Voter Intent Guidelines

Closing Out at the End of the Night

**Ouestions and Notes:** 

#### Roles

- ☆ Check-In
- \* Ballot Sorting
- Ballot Preparation (teams of 2)
- \* Envelope Opener Operator
- Runner and Ballot Flatteners (team of 2)
- ★ Ballot Tabulator, running the scanners
  Team of 2 for DS450, 1 person for the DS200
- ☀ Ballot Reconstruction, also called Remaking or Duplication (team of 2)

## Important Information

- ★ You will be working safely distanced from each other.
- We are taking as many safety precautions as possible, everyone will be issued PPE, including masks and gloves.
- Under WEC regulations, you MUST wear a cloth mask covering your nose and mouth, secured under your chin. A face shield without a mask is not a substitute.
- Absentee ballot envelopes may be opened beginning at 7:00 AM when the manager announces:

### "The polls are now open."


- All absentee ballot envelopes received prior to Election Day have already been scanned, sorted into ward order, and alphabetized by last name.
- Each ballot preparation team will receive one bin for a ward at a time. This bin will include the paperwork, envelopes, and ballots for that ward.

### Contents of Ward Bin


In each bin, you will have the following:

- ENV 2 County Clerk Official Election Returns
- ENV 3 Certificate of Rejected Absentee Ballots
- ENV 4 Used Certificate Envelopes of Absentee Electors
- ENV 5 Original Reconstructed Ballots
- ENV 6 Ballots Containing Write-In Votes
- Inspectors' Statement, 2 copies
- Voter Number Check Card, 2 copies
- Write-In Tally Sheets, 2 copies
- Absentee Ballot Log, 2 copies
- Central Count Ballot Preparation Record
- Central Count Ballot Scanning Record


### **ENV 2 County Clerk Official Election Returns**




ENV 3 Certificate of Rejected Absentee Ballots




ENV 4 Used Certificate Envelopes of Absentee
Electors



**ENV 5 Original Reconstructed Ballots** 



### ENV 6 Ballots Containing Write-In Votes



### Voter Number Check Card, 2 copies

VOTER NUMBER CHECK CARD

itorripal/y: 1 51 2 52	101 161 201 162 152 202 163 (K1 203	District(s),Wards); 261 301 262 302 253 303	351 401 352 402 353 403	451 801 531 452 602 552 453 503 553
------------------------------	---	--	-------------------------------	---

### Inspectors' Statement

	<u> 100 yang alam kempadahan kanalahan</u> 1903 yang
Inspec	etors' Statement
We life undersigned section inepactors, ce ped in the section of the	city the following is a link and correct statement for an election of
, State of Wisconsin	con this
Municipal Clark Provides the Follows Voting Unit Municipal Temper-Evident Seal Serial Number	Memory Direct Cornel Nursian Taxable T
True section to se completed by Cists in Voted Edupation Malico Contains Chief Target existent and purpoer worked by c	(1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
Upon seeiing the ballot beg or container is of the temper entdent seed track for this	o which this inspectors disservert pertains, record the number (*)
VOTER STATISTICS Total cumber of voters (last voter sumber	in earth cast and statement is clear despection.  on part last

### Write-In Tally Sheet

	Access of the second	A WASHINGTON COMM
200	325 20 74-0	not X
4139/3250	CONTRACTOR SERVICES	mera Zija
1000	and the Car	PARTY NA
4 A 4	6 4 5 to 10 and	TO THE
Envisor	in the	A. M. S. or soul or
100 March 1		1 7
	Le tracerdo	桁 4 3
rection and	20 37 24 4 1001	1
		English Co.
es.	T. E. S.	t : : ""
	Authorite	1 T T
Water of the	With S XX M	
	P. 10.10	1 4 1
j	1000	要加到的。
	3 1 1 1 1 1	5 25 -
1	1000	100
	7 4 4	1 11 1
3	and the first	11,712
	N-9-40-294 - V-+4	-1-September

### Absentee Ballot Log, 2 copies

Mile was the street of	AND ASSESSMENT OF PERSONS	Sept. Prop. or car. or car.	Sec. of	Mark Carlo
Parents I		A CONTRACTOR OF THE PARTY OF TH		watered.
	mark	Service Party Machine M.		11.0
3.2.41	PROPERTY.	diam's	dent	remark de est
Carrie Barrer	and the same of	200% cm. 4 f		
and the same	er college arrest	THE RESERVE THE PARTY.	40.00	
Contract Contract of	To at Area.	per compression of the period	(warrishe)	×
A second contribute	To A State Property	Anna the entire		4
S March Congress		itanova vazamen ita ita irak	- Angelije	
1	mind and	Provide the second second	akras	A 18 -18
THE MEAN	S	San Marian San San San San San San San San San S	era + medici	description of
1	1	Acres 42 Aves		1 10 1
resent.	frank A	the second of		I. 7° 1
Shares .		[2:3:4 × ×	n 75	Manual Bar
100000	- com	3	· show	and the second
<b>MANUFACTURE</b>	CHARLEST BUILDING		errange er	4.200

### **Ballot Preparation Record**



#### Central Count Ballot Preparation Record

Tiene Started	First Voler Number	Last Voter Humber	Number Sent to Scanning	Number Sent for Reconstruction	Humber Rejected	Wrong Ward	Total Number of Ballets.	Makot Step Team Mittals
	1							

### Ballot Scanning Record



#### Central Count Ballot Scanning Record

Date: Hove	mber 3, 2020		M achen	*2	····	- Wall	a <del>y</del>
Time Started		Received from Reconstruction			Number Sert to Reconstruction		l'abulator initials
	1						
			<del> </del>		<del>                                     </del>	· · · · ·	
		1				<u> </u>	
			Ī				ŀ
			1 .			1	

### Types of Ballots:

#### Official Ballots:

- ★ 95% of your ballots
- 🖈 If the ballot is not damaged and for the correct ward, assign it a voter number.
- If the ward for the ballot does not match the ward on the envelope or the ballot is damaged, put it in your reconstruction folder.

#### ExpressVote Ballots:

- \* Assign voter number and keep a separate stack for each ward
- \* These do not need to be reconstructed unless there is damage

### Emailed or Federal-Only Ballot:

- All emailed and federal-only ballots should go into your reconstruction folder.
- Put the certificate and envelope in ENV 4 Used Certificate Envelopes of Absentee Electors.

### **Ballot Sorting**

Throughout the day, we will get deliveries of absentee ballots from USPS and dropboxes. You will need to accept the ballot delivery and sign the delivery log, sort the envelopes, deliver them to the appropriate ballot preparation team, and reorganize paperwork after scanning.

When you receive ballots, record it on the Ballot Receipt Record. Include whether it's a delivery of ballots or the ballots came direct to the Central Count dropbox. Envelopes should then be sorted first by ward, then alphabetically (so Ward 1 A–Z, Ward 2 A–Z, etc.) After they are sorted, place the ballot envelopes into the tray for that ward. You may get a new delivery of ballots before the ballot preparation team has begun working on the previous delivery. When this occurs, combine the two batches into a single batch.

Once teams are done preparing their ward, you will give them the next ward they are assigned to work on and write it on the Ballot Distribution Record.

Sometimes ballots are given to the wrong team. In that case, someone will bring it back to you. Tally it on the Ballot Distribution Record for the ward where the ballot should be.

After a batch of ballots from a ward have been scanned, take the ward sign, Inspectors' Statement, absentee ballot log, and voter number check card from the scanning station and place them with the folder for that ward.

### **Ballot Preparation and Open Envelopes**

The central part of the counting process is preparing the ballots for scanning. There are three key steps here:

- 1. Set up the ward for processing
- 2. Review envelopes and remove Rejected ballots.
- 3. Open envelopes
- 4. Assign voter numbers and write on envelope and ballot.

### Set up the Ward for processing

- 1. Remove all record-keeping paperwork from the bin.
- 2. Place the ward sign on the edge of the table so that it's visible.
- 3. Sign the Inspectors' Statement for the ward.
- 4. Mark the time and first voter number on the Central Count Ballot Preparation Record.


### Review Envelopes and Remove Rejected Ballots

When you receive ballots in the morning and throughout the day, they should have the certification completed (voter signature, witness signature, and witness address). These have all been reviewed by the clerk's office.

There will be a few ballots that are stamped "Rejected"; these should be at the back of your bin of envelopes. **Do not open any rejected ballots.** 

### Record Rejected Ballots

 On the ballot envelope, write Rejected # with the next number for rejected ballots, starting off with Rejected



- #1. If you've already rejected 4 ballots, the next ballot to be rejected will be numbered Rejected #5.
- 2. On the Inspectors' Statement, write the incident number and code (RO if the envelope is open, RS if the voter did not sign the envelope, RWS if there is no witness signature, RWA if there is no witness address, RD if the voter died, and RB if the voter cast multiple ballots). Write the voter's name and the ballot number for the description, record the time and initial.
- 3. Place the unopened ballot envelope in ENV 3 Certificate of Rejected Absentee Ballots.

Incident Log (Rease refer to the Election Day Manual for detailed procedure	<b>(1)</b>
etreinienwahneleink was der	Election Officials Initials
g:30	JF AB
9:00	ABJF

### Open Envelopes

Take the envelopes to the envelope opening machine. The operator will use the machine to open the envelopes. Then, return to your table.

### Assign Voter Numbers

- A. Partner 1: Announce the voter's name and address.
- B. Partner 2: Find the voter on the absentee ballot log. Announce the voter number and cross it off on the voter number check card.
- C. Partner 1: Number the envelope and record the number on the Absentee Ballot Log.
- D. Partner 2: Record the number on the Absentee Ballot Log.
- E. Partner 1: Remove the ballot from the envelope, check that the ward number on the ballot matches the ward you are working on, and write the number on the ballot. Then, cross the number off on the voter number check card.

As you are removing ballots from the envelope, it helps to back-bend the envelope, bending it in the opposite direction of the original fold.

Repeat these steps until all envelopes are counted and keep the envelopes in voter number order.

Create a separate pile for ExpressVote ballots.

### Damaged, Federal, or Emailed Ballots

If the ballot is damaged, emailed, is a federal-only ballot, it will need to be reconstructed so that the scanner can read it. Number the ballot but place it in the Reconstruction folder.

Record these ballots on the Inspectors' Statement with the code R. In the description, include the voter number and the abbreviation for why it needs to be reconstructed: "DM" for Damaged or "OT" for Other (federal-only or email ballot).

### If the Ward Number on the Ballot is Wrong

- If the ward number on the ballot does not match the ward you are working on, check that the voter is on your absentee ballot log and the ward number on the envelope matches your ward.
- If the voter is not on your absentee ballot log, do not number the ballot or the envelope. Keep the ballot in the envelope and place the entire envelope in your Reconstruction folder.
- If the voter is on your absentee ballot log and the ward number on the envelope matches your ward, number the ballot and place it in the Reconstruction folder. Mark it on the Inspectors' Statement with the abbreviation WW for Wrong Ward. (See next page for visual)

Singlificant Log (Messa refer to the Election Day Manual for detailed procedures)	
	them
organismos in the contract of	247
BATHUR F9 3 3:40 JF AB	
	- Control of the Cont
ALISO APJE	National Control
	7.

### Finishing a Batch

If you are working on the DS450 (most teams):

After you have numbered all the ballots you have for that ward:

- Raise your ward sign to signal to a ballot runner that you are done.
- Fill out the ballot preparation record and be sure to initial the line. If you subtract the last voter number minus the first voter number, that should equal the number of ballots sent to scanning plus the number sent to reconstruction. If you add the number rejected or with the wrong ward to that, the total should equal the number of ballots.

- ★ Place the certificate envelopes, in order, in ENV 4 Used Certificates of Absentee Electors.
- Place the Ballot Preparation Record, Inspectors' Statement, Voter Number Check Cards, Absentee Ballot Logs, and ward sign in your ward folder.
- Place the ballots in your ward folder, behind the paperwork.
- The ballot runner will collect your folders and envelopes.
- \* After that, you can start on a new ward.

#### If your ward is on a DS200:

If you've been told that you are working on a ward assigned to a DS200 (the smaller scanner), the tabulator will collect your ballots at various points, before you've finished all of them.

## Ballot Running and Flattening

The ballot runner and flatteners will collect the ballots and paperwork from each table and flatten them to go into the DS450. This is an incredibly important job since it prevents jams and allows the machines to read the ballots.

#### Tips to flattening the ballots:

- Roll the ballots forward and backward to try to remove folds.
- For irregular folds (e.g. a "stair-step" where two fold lines are close together), run a flat object along the paper, taking care not to scuff or mark the ballots.
- \* Straighten edges and corners as much as possible.
- \* Fan the ballots to ensure that none are sticking together.
- If one edge of a ballot is folded, crumpled, or wrinkled, feed the other end in first.
- ★ Back-bend the ballots starting with a small stack of 10 ballots, then 20-50 as they become flatter, though try to avoid creating any additional fold lines.
- insert the ballots into the logger machine to line the ballots up evenly.

After the ballots are scanned, they can then tally the write-ins and deposit the ballots in the bin for the ward.





#### Reconstructed Ballots

After ballots are remade, return them to the tabulators to scan the new ballot. Place the old ballot in ENV 5 Original Reconstructed Ballots.

#### Tallying Write-Ins

In order for a write-in to count, they must be registered. If there are any qualified write-ins, both tabulators should tally the write-in on the Tally Sheets.

For ballots scanned in the DS200s, you'll have to look through all scanned ballots at the end of the night to identify write-ins.

### Ballot Tabulation/Scanning

Finally, we get to actually scanning the ballots. Without this step, they won't be counted.

### Getting Started in the Morning:

At the beginning of the day, print the Zero Report. From the Access Menus, touch the Reports tab, then Zero Report, then print. After this, we can begin scanning ballots.

Ensure that the bin lengths are correctly adjusted for 14" ballots.


### Setting up a Ward to Scan on the DS450:


- 1. Check the Ballot Preparation Record for the last voter number. Write that number, the time, the number of ballots received from Reconstruction and the number of ballots (which should equal the number of difference between the last voter number and the last voter number from the previous batch plus the number of ballots received from Reconstruction) on the Ballot Scanning Record.
- 2. On the DS450 touch screen, press the Scan button and then Scan Ballots.
- 3, Press Select Precinct to enter the ward number and then search for it.
- 4. Choose the right ward and then press Next. Touch Next again to confirm the selection.
- 5. The screen should display Load Ballots.


### Scanning:

- A. The input and output trays should be correctly aligned for the ballot size (14"). If, for some reason, they were changed, adjust them.
- B. Slide the ballot guide out of the curved opening in the input tray.
- C. Place the ballots in the input tray. Start with smaller stacks of around 50 ballots before increasing to 100 or more.
- D. Slide the ballot guide toward the opening until it locks.
- E. Once ballots have been loaded, the Ready to Scan screen appears. Press Start to begin scanning.
- F. While the ballots are being scanned, the Scanning screen is displayed. Only the Stop is available on this screen; the other options are dimmed.
- G. After the ballots have been scanned, the Scan Ballots screen is redisplayed. This time, only Save is available; the other options are dimmed.
- H. If there are more ballots for the ward, load them into the tray, repeating steps B, C, and D.
- I. If you are done with the ward, look at the 'Current' column on the Scan Ballots screen indicating the number of ballots in each bin, as well as the total number of ballots scanned.

Current				
XXX Top Bin	8			
Middle Bin	2			
Bottom Bin	45			
XTotal	55			







The top bin has ballots that were not scanned and need to be reviewed or reconstructed.

The middle bin has ballots that need to be reviewed for write-ins.

The bottom bin is ballots that were scanned successfully.

J. Press the magnifying glass for the top bin if there are any ballots there. This will display the reasons they couldn't be processed.

Attempt to re-scan ballots that are unreadable in the next batch. Try rotating them to see if that helps.

For ballots with no marks on them, follow the steps in Part J.

For all other unreadable ballots, mark them on the Inspectors' Statement with the ballot number and an abbreviation for the reason, OV for Overvoted, DM for Damaged and OT for other ballots. Put them in the Reconstruction folder

K. Then, click save, unless you need to re-scan the entire run for some reason. If that's the case, click the X next to the total.

SORT

L. For ballots with no marks on them, turn sorting off. Press the Sort button and then yes to confirm. Then run them through the scanner again.


After doing so, then press Sort to turn it back on. It will then return to the Menu and you can choose Scan mode.

M. Record the results on the Scanning Record. Then give the ballots to a runner to tally the write-ins and put in the ward bin.

### Reconstruction


If a ballot is damaged, is not on a scannable ballot (emailed or federal ballots), for the wrong ward, or cannot be read, it must be reconstructed. The ballot sorter(s) will bring you ballots to review.

All work must be done as a team of two.



- 1. Partner 1 takes the original ballot and Partner 2 takes the new, blank ballot.
- 2. Partner 1 reads off the original ballot, Partner 2 verbally confirms the vote and fills in the new ballot.
  - If the ballot was for the wrong ward, reconstruct the ballot with votes only for races that are in both wards.
- 3. Partner 2 hands the new ballot to Partner 1 to verify that the ballot matches.
- 4. Give the ballots to the ballot runner to scan the new ballot and place the original ballot in the ward's ENV 5 Original Reconstructed Ballots.

#### Voter Intent Guidelines



### Closing Out at the End of the Night

At the end of the night, we need to print out reports from the scanners and reconcile them before packing ballots and all paperwork up.

- Tabulators print out vote report totals by ward.
- Ballot prep teams compare the ballots to the last voter # on the voter number check card.
   Record both on the Inspectors' Statement. If there is a discrepancy between the two numbers, follow the below steps:
  - Look through the Voter Number Check Cards and Absentee Ballot Logs to see if a number was skipped or used twice. One partner should read off voter numbers from the Absentee Ballot Log while the other person checks the number off again on the Voter Number Check Card.
    - If a voter number was skipped, mark it on the log and note it on the Inspectors' Statement with code X.
    - If a voter number was assigned twice, circle it on the log and mark it on the Inspectors' Statement with code X.
  - Was a rejected ballot assigned a voter number? Were any reconstructed ballots
    assigned a new number? Look through the envelopes for any of those. If any of those
    ballots were inadvertently assigned a ballot number, mark this on the inspectors'
    Statement with code X.
  - If you can still not reconcile the voter number and the number of ballots scanned, flag down a Central Count leader to look at the logs.
- Sign the following forms and place them in the ward envelope.

#### Do not place them in the ballot bin until after all ballots.

0	Inspectors' Statement	Voter Number Check Cards
0	Write-In Tally Sheet	<ul> <li>Results sheet for the ward</li> </ul>
0	Absentee Ballot Logs	

- Place the scanned ballots, ENV 3 Certificate of Rejected Absentee Ballots, ENV 4 Used
   Certificate Envelopes of Absentee Electors, ENV 5 Original Reconstructed Ballots, and ENV 6
   Ballots Containing Write-In Votes in the ward bin.
- Place ENV 2 County Clerk Official Election Results and all paperwork on top then seal the ward bins.
- Repeat for any additional wards.

#### Meals

### No eating inside the Ballroom

If you are taking a break to eat a meal or snack, you must leave your station and eat outside of the room. We will provide lunch (at 12 PM) and dinner (at 6 PM). You will have half an hour and can eat outside of the ballroom.

If you are doing ballot preparation, you must take a break for the meal at the same time as your partner. Check with a Central Count leader first to make sure no ballots or other papers are left out on your table and everything is ready to go.

If you are doing any other role, check with a Central Count leader before leaving to eat.

#### Breaks

If you need a short break (bathroom, snack, etc.)

If you are doing ballot preparation, the envelope machine operator can fill in for you.

If you are in any other role, flag down one of the Central Count leaders and they will get someone to replace you.